

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

THIS PAGE BLANK (USPTO)

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 742 267 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
19.03.1997 Bulletin 1997/12

(43) Date of publication A2:
13.11.1996 Bulletin 1996/46

(21) Application number: 96107445.7

(22) Date of filing: 10.05.1996

(51) Int. Cl.⁶: **C08L 67/00**, C08L 67/04,
B32B 27/36
// (C08L67/00, 23:08),
(C08L67/04, 23:08)

(84) Designated Contracting States:
DE FR GB

(30) Priority: 12.05.1995 JP 114437/95
14.09.1995 JP 236879/95

(71) Applicant: SUMITOMO CHEMICAL COMPANY
LIMITED
Osaka-shi, Osaka 541 (JP)

(72) Inventors:
• Furuta, Motonobu
Hanamigawa-ku, Chiba (JP)
• Yamaguchi, Takanari
Tsukuba-shi, Ibaraki (JP)

(74) Representative: VOSSIUS & PARTNER
Siebertstrasse 4
81675 München (DE)

(54) Hollow molded article container and method for producing the same

(57) The present invention provides a hollow molded article container of a liquid polyester resin composition which is superior in moldability, heat resistance, gas barrier properties and gasoline barrier properties. The liquid polyester resin composition comprises a liquid crystal polyester as a component (A) and an epoxy group-containing ethylene copolymer of 50.0 through 99.9% by weight of an ethylene unit (a), 0.1 through 30.0% by weight of an unsaturated carboxylic acid glycidyl ester unit or unsaturated glycidyl ether unit (b) and 0 through 49.9 % by weight of an ethylenically unsaturated ester unit (c) as a component (B), wherein the component (A) is 56.0 through 99.0% by weight and the component (B) is 44.0 through 1.0% by weight. The invention also provides a hollow molded article container composed of a laminated structure comprising a layer of the liquid crystal polyester resin composition above and a layer of a thermoplastic resin.

EP 0 742 267 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 10 7445

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	EP-A-0 429 654 (TOYO SEIKAN KAISHA LTD) 5 June 1991 * page 11, line 5 - line 14; claims 1,4,5 *	1-7,9-12	C08L67/00 C08L67/04 B32B27/36 /(C08L67/00, 23:08), (C08L67/04, 23:08)
D	& JP-A-02 263 646 ---		
A	EP-A-0 595 082 (BAYER AG) 4 May 1994 * page 2, line 56 - page 6, line 38; claims; example 4 *	1-8	
P,X	EP-A-0 672 721 (SUMITOMO CHEMICAL CO) 20 September 1995 * page 11, line 24 - line 49; claims 1-6 * * page 15, line 39 - line 43 * -----	1-8	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.6) C08L B32B
Place of search THE HAGUE		Date of completion of the search 20 December 1996	Examiner Kanetakis, I
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 01.82 (P04C01)